

Grove City, Ohio

ACS Demographic and Housing Estimates: 2005-2007

Data Set: 2005-2007 American Community Survey 3-Year Estimates

Survey: American Community Survey

ACS Demographic and Housing Estimates	Estimate	Margin of Error	Percent	Margin of Error
SEX AND AGE				
Total population	32,981	+/-1,388	100%	(X)
Male	16,175	+/-906	49.00%	+/-1.8
Female	16,806	+/-912	51.00%	+/-1.8
Under 5 years	2,103	+/-395	6.40%	+/-1.1
5 to 9 years	2,283	+/-392	6.90%	+/-1.1
10 to 14 years	3,359	+/-506	10.20%	+/-1.4
15 to 19 years	2,511	+/-439	7.60%	+/-1.3
20 to 24 years	1,328	+/-314	4.00%	+/-0.9
25 to 34 years	3,583	+/-508	10.90%	+/-1.4
35 to 44 years	5,733	+/-631	17.40%	+/-1.6
45 to 54 years	5,334	+/-490	16.20%	+/-1.5
55 to 59 years	1,658	+/-342	5.00%	+/-1.0
60 to 64 years	1,348	+/-273	4.10%	+/-0.8
65 to 74 years	2,065	+/-210	6.30%	+/-0.6
75 to 84 years	1,463	+/-254	4.40%	+/-0.8
85 years and over	213	+/-116	0.60%	+/-0.4
Median age (years)	37.5	+/-1.1	(X)	(X)
18 years and over	23,390	+/-875	70.90%	+/-1.4
21 years and over	22,515	+/-855	68.30%	+/-1.3
62 years and over	4,414	+/-340	13.40%	+/-1.1
65 years and over	3,741	+/-259	11.30%	+/-0.8
18 years and over	23,390	+/-875	100%	(X)
Male	11,026	+/-617	33.40%	+/-1.4
Female	12,364	+/-535	37.50%	+/-1.3
65 years and over	3,741	+/-259	100%	(X)
Male	1,515	+/-204	4.60%	+/-0.6
Female	2,226	+/-226	6.70%	+/-0.7
RACE				
Total population	32,981	+/-1,388	100%	(X)
One race	32,521	+/-1,375	100%	(X)
Two or more races	460	+/-221	100%	(X)
One race	32,521	+/-1,375	98.60%	+/-0.7
White	30,974	+/-1,370	95.20%	+/-1.4
Black or African American	763	+/-281	2.30%	+/-0.9
American Indian and Alaska Native	88	+/-64	0.30%	+/-0.2
Cherokee tribal grouping	N	N	N	N
Chippewa tribal grouping	N	N	N	N

Navajo tribal grouping	N	N	N	N
Sioux tribal grouping	N	N	N	N
Asian	379	+/-309	1.20%	+/-0.9
Asian Indian	N	N	N	N
Chinese	N	N	N	N
Filipino	N	N	N	N
Japanese	N	N	N	N
Korean	N	N	N	N
Vietnamese	N	N	N	N
Other Asian	N	N	N	N
Native Hawaiian and Other Pacific Islander	0	+/-151	0.00%	+/-0.2
Native Hawaiian	N	N	N	N
Guamanian or Chamorro	N	N	N	N
Samoa	N	N	N	N
Other Pacific Islander	N	N	N	N
Some other race	317	+/-209	1.00%	+/-0.6
Two or more races	460	+/-221	1.40%	+/-0.7
White and Black or African American	233	+/-165	50.70%	+/-22.3
White and American Indian and Alaska Native	149	+/-123	32.40%	+/-21.8
White and Asian	35	+/-41	7.60%	+/-9.5
Black or African American and American Indian and Alaska Native	27	+/-45	5.90%	+/-9.5
Race alone or in combination with one or more other races				
Total population	32,981	+/-1,388	100%	(X)
White	31,407	+/-1,372	95.20%	+/-1.3
Black or African American	1,039	+/-360	3.20%	+/-1.1
American Indian and Alaska Native	280	+/-153	0.80%	+/-0.5
Asian	414	+/-309	1.30%	+/-0.9
Native Hawaiian and Other Pacific Islander	N	N	N	N
Some other race	317	+/-209	1.00%	+/-0.6
HISPANIC OR LATINO AND RACE				
Total population	32,981	+/-1,388	100%	(X)
Hispanic or Latino (of any race)	623	+/-296	1.90%	+/-0.9
Mexican	N	N	N	N
Puerto Rican	N	N	N	N
Cuban	N	N	N	N
Other Hispanic or Latino	N	N	N	N
Not Hispanic or Latino	N	N	N	N
White alone	30,592	+/-1,410	92.80%	+/-1.8
Black or African American alone	740	+/-274	2.20%	+/-0.8
American Indian and Alaska Native alone	88	+/-64	0.30%	+/-0.2
Asian alone	379	+/-309	1.10%	+/-0.9
Native Hawaiian and Other Pacific Islander alone	0	+/-151	0.00%	+/-0.2
Some other race alone	99	+/-131	0.30%	+/-0.4
Two or more races	460	+/-221	1.40%	+/-0.7
Two races including Some other race	0	+/-151	0.00%	+/-0.2
Two races excluding Some other race, and Three or more races	460	+/-221	1.40%	+/-0.7
Total housing units	13,626	+/-263	100%	(X)

Source: U.S. Census Bureau, 2005-2007 American Community Survey

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

Notes:

-For more information on understanding race and Hispanic origin data, please see the Census 2000 Brief entitled, Overview of Race and Hispanic Origin, issued March 2001. (pdf format)

-While the 2007 American Community Survey (ACS) data generally reflect the December 2006 Office of Management and Budget (OMB) definitions of metropolitan and micropolitan statistical areas; in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB definitions due to differences in the effective dates of the geographic entities. The 2007 Puerto Rico Community Survey (PRCS) data generally reflect the December 2005 Office of Management and Budget (OMB) definitions of metropolitan and micropolitan statistical areas; in certain instances the names, codes, and boundaries of the principal cities shown in PRCS tables may differ from the OMB definitions due to differences in the effective dates of the geographic entities.

-Estimates of urban and rural population, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2000 data. Boundaries for urban areas have not been updated since Census 2000. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

Explanation of Symbols:

- compute a standard error and thus the margin of error. A statistical test is not appropriate.
- an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper
- 3. An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
- 4. An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
- distribution. A statistical test is not appropriate.
- appropriate.
- number of sample cases is too small.
- 8. An '(X)' means that the estimate is not applicable or not available.