


Luminaire— Main Street Lighting, L820, or Approved Equal. Coordinate with City of Grove City for lamp source, wattage, etc. Luminaire shall be coated to match the color of the light pole.

Light Pole— Hapco, Reference Drawing A74167, or Approved Equal, powder coated Black, lightly textured, similar to Federal Standard 595-B, Color No. 27040.

10' - 0"

NOTE: LIGHT POLE STRUCTURES SHALL BE DESIGNED AND CONSTRUCTED BY THE SUPPLIER TO SUPPORT THE LOADS THAT THE PLAN REQUIRES THE CONTRACTOR TO INSTALL. THESE DRAWINGS ARE INTENDED TO PROMOTE UNIFORMITY OF DESIGN AND ARE NOT WARRANTED TO BE STRUCTURALLY ADEQUATE. THE MANUFACTURER SHALL BE RESPONSIBLE FOR VERIFYING THE POLE DESIGN, AND SHALL PREPARE SHOP DRAWINGS AND STRUCTURAL DESIGN CALCULATIONS STAMPED BY AN OHIO PROFESSIONAL ENGINEER. THE SHOP DRAWINGS AND CALCULATIONS SHALL BE SUBMITTED TO THE CITY OF GROVE CITY FOR APPROVAL PRIOR TO FABRICATION.

**SINGLE LUMINAIRE CONFIGURATION
(NO SCALE)**




Light Pole— Hapco, Reference Drawing B27264, or Approved Equal, powder coated Black, lightly textured, similar to Federal Standard 595-B, Color No. 27040.

11' - 0"

NOTE: UNLESS OTHERWISE DIRECTED BY THE CITY, ALL LUMINAIRE USED IN NEW CONSTRUCTION SHALL BE LED.

**TWIN LUMINAIRE CONFIGURATION
(NO SCALE)**

Approved By:

 City Engineer, EMH&T Inc

 City Service Director

STANDARD DIMENSIONS
 FOR
 STREET LIGHTING
 DOWNTOWN/TOWN CENTER
 LIGHT POLE AND LUMINAIRE

**CITY OF
 GROVE CITY, OHIO**

STANDARD
 CONSTRUCTION DRAWING

Revised		Drawing No.
Rev July, 2016		C-GC-95A