


Luminaire— Main Street Lighting, L820, or Approved Equal. Coordinate with City of Grove City for lamp source, wattage, etc. Luminaire shall be coated to match the color of the light pole.

Light Pole— Hapco, Model A 75270-002, or Approved Equal, powder coated Black, similar to Federal Standard 595-B, Color No. 27040.

10' - 0"

NOTE: LIGHT POLE STRUCTURES SHALL BE DESIGNED AND CONSTRUCTED BY THE SUPPLIER TO SUPPORT THE LOADS THAT THE PLAN REQUIRES THE CONTRACTOR TO INSTALL. THESE DRAWINGS ARE INTENDED TO PROMOTE UNIFORMITY OF DESIGN AND ARE NOT WARRANTED TO BE STRUCTURALLY ADEQUATE. THE MANUFACTURER SHALL BE RESPONSIBLE FOR VERIFYING THE POLE DESIGN, AND SHALL PREPARE SHOP DRAWINGS AND STRUCTURAL DESIGN CALCULATIONS STAMPED BY AN OHIO PROFESSIONAL ENGINEER. THE SHOP DRAWINGS AND CALCULATIONS SHALL BE SUBMITTED TO THE CITY OF GROVE CITY FOR APPROVAL PRIOR TO FABRICATION.

**SINGLE LUMINAIRE CONFIGURATION
(NO SCALE)**



Light Pole— Hapco, Reference Drawing #74167, or Approved Equal, powder coated Black, similar to Federal Standard 595-B, Color No. 27040.

11' - 0"

NOTE: UNLESS OTHERWISE DIRECTED BY THE CITY, ALL LUMINAIRES USED IN NEW CONSTRUCTION SHALL BE LED.

NOTE: FUSE KITS TO BE USED FOR CONNECTION. NO DIRECT CONNECTION PERMITTED.

**TWIN LUMINAIRE CONFIGURATION
(NO SCALE)**

Approved By:

 City Engineer, EMH&T Inc

 City Service Director

STANDARD DIMENSIONS
 FOR
 STREET LIGHTING
 DOWNTOWN/TOWN CENTER
 LIGHT POLE AND LUMINAIRE

**CITY OF
 GROVE CITY, OHIO**
 STANDARD
 CONSTRUCTION DRAWING
 Revised February 2016
 Drawing No. C-GC-95A